

Rhododendrons used as a hedge

Fall, 1914

Spring, 1915

# CATALOG OF Boxford Nursery



### **KELSEY'S**

### Hardy American Plants, Rhododendrons, Azaleas and Specimen Evergreens

THIS IS A PRICED CATALOG of my Boxford Nursery, located at Boxford, Massachusetts (East Boxford P.O.), on the Georgetown branch of the B. & M. R. R. Here may he seen growing the choicest collection of specimen nursery stock, selected for the most discriminating payers. Special attention is given to hardy native plants, which must always be the hasis of successful permanent slantings.

SPECIMEN STOCK. There is a growing demand for ne specimen stock in Conifers, Rhododendrons, Kalmins, indromedas and other evergreens, and Boxford Nursery established to supply this need.

Landscape architects, park and cemetery superintenents, and the owners of large estates will find it of great ivantage to visit Boxford Nursery and personally select aterial in the nursery row.

PRICES are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

PACKING CHARGES FREE at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston points at net cost.

VISITORS ARE ALWAYS WELCOME. Boxford

VISITORS ARE ALWAYS WELCOME. Boxford Nursery is easily reached by train or automobile, and Mr. Kelsey will be glad to meet prospective customers at the nursery by appointment.

A visit to Boxford Nursery during the blooming season of Rhododendrons and Azaleas is especially worth while.

### HARLAN P. KELSEY, Owner

Office, 287 Essex St. Telephone Connection

SALEM, MASS.

## CATALOG OF BOXFORD NURSERY

Note: All plants are transplanted and nursery-grown unless plainly marked otherwise.

The larger sizes are always shipped with balls and are burlaped, which cans they will grow. Prices include all charges, packed free on board cars, Boxford, Mass., freight station.

## **Evergreen Trees and Shrubs**

	Each	10
Abies arlzonica. 2 ft	.82 - 50	
brachyphylla. 3 to 4 ft		
concolor. White Fir. 1½ to 2 ft	. 1 50	\$12 50
3 to 4 ft		25 00
4 to 5 ft	. 6 00	50 00
6 to 8 ft		80 00
Larger specimens \$12 to	40 00	



The true Fraser's Fir (Abies fraseri) Superior in every way to the Abies balsamea, or Common alsom Fir. We have thousands of fine plants to draw from.

Abies fraseri. Fraser's Fir. The northern species, Abies balsamea; is almost worthless in any but the latitude of middle and northern Maine, as it becomes "leggy," thin, and is short-lived. Fraser's Fir, however, a distinct species from the highest peaks of the Carolina mountains, makes a perfect specimen lawn and sereen tree, with dark green, thick-set foliage (blue underneath) and compact, pyramidal habit. It is one of the choicest of all American conifers of the Fir section.

Abies fraseri is destined to become one of the most popular and widely planted of Firs, and to meet this demand we have them


by t

ery prairied of Firs, and to meet this	uemnu	I WE HHV	e mem
thousands in all sizes.	Ench	10	100
2-yr. seedlings\$30 per 1,000		\$0 40	\$3 50
1 to 132 ft\$110 per 1,000		2 00	12 50
1½ to 2 ft		5 00	40 00
2 to 3 ft		10 00	80 00
Larger specimens, up to			
nniana. Nordmann's Fir. 2 to 3 ft		25 00	
cata. 2 to 3 ft			
3 to 4 ft			
4 to 5 ft	6 00		

nordma umbelli veitchi.

## KELSEY'S HARDY SPECIMEN EVERGREENS

### Catalog of BOXFORD NURSERY



Kalmia latifolia (See page 4)

#### EVERGREEN TREES AND SHRUBS, continued

EVERGREEN TREES AND SHRUBS, continued	
Andromeda (Pieris) floribunda. 2 to 4 feet. 6 the finest of all	
leaved American shrubs. Compact growth, with shining eve leaves and abundant racenies of showy white flowers in May	r. The
next season's buds appear after the flowering season and give the	eplant
the appearance of being in bloom the year round. My stoel strictly American-grown and of finest quality. The im	norted
Andromeda is very often difficult to establish. All plants are l	eavily
budded. Each 10	100
	\$70 00 100 00
1 to 1 % ft., heavier climps 2 00 17 50 \	150 00
japonlea. Japanese Fetter Bush. This fine species is of more a growth than floribunda, the young foliage presenting st	pright
growth than floribunda, the young folinge presenting st	triking
shades of reddish pink early in the senson. The flowers terminal racemes, and very showy. Each 10	100
1 to 1½ ft\$1 50 \$10 00	100
Arctostaphylos uva-ursi. In pots, strong 60 5 00 5	\$40 00
Buxus arborescens. Tree Box. 3 to 9 in 20 1 50	20.00
Chamædaphne calyculata.       0-to 12 in	20 00 30 00
1½ to 2 ft	00 00
Cotoneaster davidiana horizontalis. 1 to 1½ ft. 1 25 10 00	
Cupressus lawsoniana aluml. 1½ to 2 ft 1 75 15 00 lawsoniana fraseri. 1½ to 2 ft 1 75 15 00	
lawsoniana veitchi. 2 to 3 ft	
Dendrlum buxifolium. 0 to 0 in	
Dendrium prostratum Mountain Heath. Grows 0	to 12
Dendrium prostratum. Mountain Heath. Grows 0 inches. The Carolina mou	រាជពេញម
prostrate form of this beautiful genus. Rockwork evergreen, eovering the surface with a bed of green. In full bloom May or	CIOSCIV
produces a striking effect; the delicate white flowers are tinge	
pink. One of our choicest alpine plants. Each 10	100
3 to 6 in\$0 50 \$4 00 \$	35 00
6 to 9 in	
densifiorum. St. John's Wort. 2 to 3 ft 25 1 75	<b>15</b> 00
prolificum. 6 to 12 in	
Juniperus ohinensis argentea. 1½ to 2 ft 50 4 00 chinensis pfitzerians. 1½ to 2 ft 1 50 12 50	
chinensis procumbens. 1 to 136 ft	30 00
communis aurea. Golden Common Juniper.	
1½ to 2 ft 1 00 8 50	
Juniperus communis depressa.	
Prostrate Juniper. 6 to 12 in. diameter 50 4 00	30 00
1 to 1½ ft. diameter 75 0 00	50 00
1 ½ to 2 ft. diameter	90 00
3 to 4 ft. diameter	00 00
Larger specimens, up to	
Without doubt this is the best prostrate form of Junip	
ground-cover. It is at home on sandy or gravelly hillsides exposed to the sun, where single plants often reach a diame	
15 feet or more.	
In shade it does well where other shrubs or grass will not t	
forming a looser covering, however, than in the open. It va- form from the completely prostrate type to the ascending	
2 to 4 feet high.	cy pe.
We have several thousand transplanted specimens to	select
from, up to 8 feet in diameter.	100
Japonica. Japanese Juniper. 1½ to 2 feet\$1 00	100
japonica aurea. Golden Japanese Juniper.	
2 to 3 ft	
4 to 5 ft	40.00
	40 00 80 00
-/,	-5 00

#### BOXFORD NURSERY Catalog of



Juniperus communis depressa and Juniperus virginiana (Red Cedar) In the rear are specimen Red Cedars, such as we can supply in large santities. In front are three forms of the variety J. depressa, prostrate, cending and creet. This is the finest carpeting evergreen we have. ascending and creet.

#### EVERGREEN TREES AND SHRUBS, continued

Juniperus sabina tamariseifolia. Gray Carpet Each           Juniper. 6 to 12 in	10 \$4 00 10 00	100 \$30 00
Juniperus virginiana. Red Cedar. 1 to 2 ft 60	5 00	40 00
2 to 3 ft	8 00 12 00	100 00
4 to 5 ft	18 00 27 50	
7 to 8 ft	50 00 cs.	

BOXFORD NURSERY makes a specialty of the Red Cedar. It is, we believe, the finest of all evergreens for formal plantings for New England conditions, giving an effect somewhat like the Italian eypress.

As a hackground for rhododendrons, shruhhery and flowers, it is unequaled, except perlaps by the Carolina hemlock. It does not take the place of other evergreens, but holds a unique place for certain effects, and no other erergreen can take its place. Individuals vary in color from light and dark green to steel-blue.

We offer hundreds of transplanted specimens up to 20 feet in height. We also collect specimens with large balls in car-lots or less at prices according to selection, ordinarily 75 cents a foot in height.

Juniperus virginiana elegantissima. 3 ft\$1 75	10	100
virginiana glauca. Blue Virginia Cedar.		
1 to 1½ ft 1 25	\$10 00	
1 1/2 to 2 ft 1 50	12 50	
virginiana globosa. 1 ft		
virginiana schotti. 1½ to 2 ft	12 00	
virginiana tripartita. 1½ to 2 ft	12 00	
Kaimia angustifolia. Narrow-leaved Laurel.		
9 to 12 in	3 00	\$20 00
I to 11/2 ft., "collected" clumps 50	4 00	30 00
glauca. 6 to 12 in	3 00	

Kalmia latifolia. The Mountain Laurel. One of the grandest of our native broad-leaved evergreen shruhs, attaining tree-like proportions in our southern mountains. In cultivation it is a hroad, thick shruh, and, when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymhs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, shining leaves, conspicuous the year round, make it a shruh of greatest value for massing. The hardiness of Kalmia latifolia is heyond doubt, it being found sparingly in Nova Scotia and increasingly in ahundance through New England and the middle Atlantic states (particularly in the higher altitudes), till the crest of the southern Alleghanies is reached.

This is another of my specialties and my stock is unequaled clsewhere.

elsewhere.

#### HARDY SPECIMEN KELSEY'S **EVERGREENS**

#### Catalog **BOXFORD NURSERY** of

EVERGREEN TREES AND SHRUBS, con	tinued	
Kalmia latifolia, continued Each	10	100
1 to 1½ ft\$0 60 1½ to 2 ft\$0	\$5 00 7 00	\$40 00. 60 00
1 to 1 ½ ft., clumps 1 25	10 00	90 00
1 1/2 to 2 ft., clumps	17 50	150 00
2 to 3 ft., elumps	32 50 40 00	300 00 375 00
3 to 4 ft., clumps	3 00	
Leucothoe catesbal. Grows 3 to 8 feet. Few shrub-e	vergreen	s of the
broad-leaved sort have the grace of this one. The green leaves are evenly disposed on long, recurved	e tnick, branch	shining es with
dense racemes of beautiful, white, bell-shaped flower	rs. As h	under-
shrub or for banks and the borders of rhododen along streams it is without a rival. The sprays	dron m	asses or
winter decorations indoors, turning a rich bronze i	nako t	ll where
exposed to the sun. Each	10	100
6 to 12 in	\$4 00	\$30 00
1 to 1½ ft	6 50 12 50	60 00 110 00
Pachysandra terminalis. 6 to 9 in	1 75	15 00
Pices alba (canadensis). White Spruce.  2 to 3 ft	10 00	90 00
3 to 4 ft	10 00 17 50	160 00
4 to 5 ft 3 50	30 00	
Larger specimens, up to	6 00	
excelsa. 4 to 5 ft	8 00	
excelsa. 4 to 5 ft	12 50	
3 to 4 ft	17 50	
orientalis. 1½ ft	27 50	
pungens. Green Colorado Spruce. 2 to 3 ft 2 00	18 00	•
3 to 4 ft	26 00	
Larger specimens, up to		
1 to 11/2 ft 2 50	22 50	200 00
1 ½ to 2 ft	32 50 40 00	300 00
3 to 4 ft	50 00	
sitohensis. Sitka Spruce. 2 to 3 ft 2 00	18 00	
Pinus austriaea. Austrian Pine. 9 to 12 in 30 1 to 1½ ft 50	2 50 4 00	20 00 30 00
banksiana (divarioata). Jack Pino. 3 to 4 ft. 1 00	8 50	70 00
4 to 0 it 2 00	18 00	150 00
cembra. Swiss Stone Pine. 9 to 12 in 1 00 11/2 to 2 ft	8 00 18 00	70 00
densifiora. Japaneso Red Pine. 1 to 11/2 ft 60	5 00	40 00
1½ to 2 ft 1 00	8 00	70 00
flexilis. Limber Pine. 1½ to 2 ft	8 50 12 00	
mughus. Dwarf Pine. 0 to 9 in	3 00	20 00
9 to 12 in	5 00	40 00
1 to 1½ ft	8 00	70 00
ponderosa. Bull Pine. 1½ to 2 ft 50	4 00	20 00
pungens. Table Mountain Pine. 3 to 4 ft 75 4 to 6 ft	6 00 12 50	
6 to 7 ft 2 50	20 00	
resinosa. Red Pine. 0 to 12 in	3 00	20 00
1 to 1½ ft	4 00 75	30 00 0 00
3 to 4 ft	6 00	50 00
4 to 5 ft 1 50	12 00	
strobus. White Pine. 1 to 1½ ft. \$100 per 1,000. 20 1½ to 2 ft	1 50 3 00	12 50 25 00
2 to 3 ft	5 00	45 00
3 to 4 ft	10 00	80 00
sylvestris.         Scotch Pine.         1 to 1½ ft.         35           2 to 3 ft.         75	3 00 6 00	25 00 50 00
3 to 4 ft 1 25	10 00	80 00
4 to 5 ft	18 00	160 00
5 to 6 ft	26 00 8 00	
Pseudotsuga douglasi (taxifolia). Douglas Spruce.		
1 to 11/2 ft	5 00	40 00
1 ½ to 2 ft	8 00 12 50	70 00 100 00
3 to 4 ft 2 00	18 00	
douglasi glauca eiegans. 1 to 1½ ft 1 50	12 00	
Retinospora obtusa gracilis. 1 to 1½ ft 75 1½ to 2 ft	6 00 10 00	
obtusa nana. 1½ to 2 ft	18 00	
pisifera. 3 to 4 ft	18 00	

<sup>&</sup>quot;And to paint these home pictures we need chiefly American material. We must face this deadly parallel:
"What We Really Plant. 70% European trees and shrubs and horticultural varieties. 20% Chinese and Japanese. 10% American."
"What We Ought to Plant. 70% American trees and shrubs, i.e., native to America. 20% Chinese and Japanese. 10% European and horticultural."

Wilhelm Miller, in "What England Can Teach Us About Gardening."

## KELSEY'S Hardy American Plants Rhododendrons and Azaleas

#### BOXFORD NURSERY Catalog of



Rhododendron carolinianum as used in a rock garden

### RHODODENDRONS

Rhododendron arbutifolium (wilsoni).	Each	10
9 to 12 in	\$1 00	\$8 50
1 to 1½ ft	. 2 00	18 00

### RHODODENDRON CAROLINIANUM

### A New American Species

Clear Pink. Absolutely Hardy

The smallest Alleghaeian species; though wild, it attains a height of 15 feet and is wide-spreading. Leaves dark greee, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawbiense. Flower-elusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fice for rocky slopes or hill-sides, standing exposure unusually well, and invaluable as a single specime or for massing with the other species.

	Each	10	100
9 to 12 in	80 75	\$6 00	\$50 00
1 to 1½ ft	1 00	8 00	70 00
1 to 1½ ft., elumps	2 00	17 50	150 00
1 ½ to 2 ft., elumps	3 50	32 50	200 00
2 to 3 ft., elumps	6 00	50 00	
3 to 4 ft., elumps	10 00	00 00	
4 to 5 ft., clumps	15 00		

### RHODODENDRON CATAWBIENSE

#### Of the Carolina Mountains

The Hardiest of all Rhododendrons

It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids," hut with a consequent loss of hardiness; and so today, for Amorienn gardens, where ironelad hardiness is essential, wo must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, color of flower, compact growth and remarkable texture of foliage, which is a deep, shining greee, and far superior to the better-known Rhododendron maximum, we can recommend the true native entawbiense as the floest for general use, withstanding exposure and extremes of temperature where other Rhododeodrons fail.

Do not confuse this true species, which is absolutely hardy, with the common so-called catawhiense hybrid seedling so freely imported from Europo, which is at best half-hardy, and even when branched above is a siegle stem, showing bareoess underneath for years.

Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semilardy, half-breed, imported variety coted above), and as sent out by Highlands Nursery is always on its own roots.

For massing to produce a broad-leaved evergreen landscape effect, thore is no plant equal to it in the latitude of the corthern United States and Canada, where strictly hardy plaots must be employed. As a rich, finished border to plaotations of the commoner Rhododendron maximum, the value of Rhododendron catawbiense cannot be overestimated.

Do not compare our many-stemmed clumps with the single-stemmed, "bushy," half-hardy Rhododendrons offered by importers. There is no comparison.

Each 10 100

11/2 to 2 ft., clumps.

3 to 4 ft., clumps.

3 to 4 ft., clumps.

5 to 0 45 to 0 425 to 0 Larger specimens, up to ... 15 to 0 It was this magnificent Rhododendron that over a hundred years ago

#### Catalog of BOXFORD NURSERY

#### RHODODENDRON CATAWBIENSE, continued

catawbiense hybrids. Hardiest varieties, including the following: album elegans, Anna Parsons, caractacus, catawbiense alba, everestianum, General Grant, Mrs. Milner, President Lincoln, Parsons' Gloriosa, purpureum elegans, roseum elegans and othors, according to size and selection, \$1 to \$4 each.

Rhododendron ferrugineum. Alpine Rose.	E	neh	10	)
10 to 12 in	.\$1	00	\$S	50
ferrugineum album. White Alpine Rose.				
6 to 12 in	. 1	00	8	50
hirsutum. 8 to 10 in	. 1	00	8	50

#### RHODODENDRON MAXIMUM

#### The Great American Rosebay

Perfectly Hardy in the Latitude of Quebec

to and to the source of the time.	1140		TO	700	,
0 to 12 in	\$0 2	5 \$2	00	\$17	50
1 to 1½ ft	4		00	25	
1 ½ to 2 ft	7	5 0	00	50	00
1 to 1½ ft., elumps	10	0 0	00	80	ÕÕ
$1\frac{1}{2}$ to $2$ ft., elumps	17	5 15	00	125	00
2 to 3 ft., clumps	2 5	0 22	50		
3 to 4 ft., clumps	4 0	0 37	50		
4 to 6 ft., specimens\$5 t	o 10 0	0	-		
Rhododendron maximum roseum. Piak for of Rhododendron maximum.					
1½ to 2 ft	50	0			
Taxus canadensis. Canadiaa Yew. 4 to 6 in.		۱. ۵		20	00
O to 19:-	2		00		00
9 to 12 in		5 6	00	50	00
cuspidata brevifolia. Japaneso Yew. 6 to 12	in. 7	5 0	00		
1 to 1½ ft	. 10	ñ Ř	00		
1 1/2 to 2 ft	2 ŏ		ŏŏ		

18 00



The Carolina Hemlock

The most beautiful of all. We have them in specimens up to 6 and 7 feet high.

### Catalog of BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS, cont	inued	
Thurs occidentalis, American Arborvitæ. Each	10	100
1 to 1½ ft	<b>\$</b> 2 50	\$18 00
2 to 3 ft	5 00	45 00
occidentalis, George Peabody. 1 to 1½ ft 75	6 00 10 00	
1 ½ to 2 ft	5 00	
occidentalis pyramidalis. Pyramidal Arbor-	0 00	
vitæ. 1½ to 2 ft 1 00	8 00	70 00
2 1/2 ft 1 50	12 00	
occidentalis rosenthali. 2 to 3 ft 2 00		
occidentalis sibirica (wareana). Siberian	5 00	
Arborvitæ. 1 to 1½ ft	8 50	
2 to 3 ft	12 50	
orientalis aurea conspicua. 1 to 1½ ft 1 25	10 00	
4 to 5 ft	- 00	
orientalis aurea nana. 1 to 1½ ft	5 00 4 00	30 00
Orientans oregamentation 1 to 1/2 interest	8 00	60 00
1½ to 2 ft	0 00	00 00
Townson Hemlock.		
Tsuga canadensis. Common Hemlock.	-	
of this splendid evergreen. My trees are		
bushy and well formed, and frequent trans-		
planting insures good balls.  0 to 12 in	1 50	12 00
1 to 1½ ft	2 00	17 50
1½ to 2 ft	5 00	40 00
2 to 3 ft 1 25	10 00	90 00
3 to 4 ft	15 00 25 00	140 00 225 00
4 to 5 ft	45 00	400 00
7 to 8 ft 8 00	75 00	
	s 40 to	80 fcet.
Tsuga caroliniana. Carolina Hemlock. Grow. This grand new Hemlock, in	troducc	d by me,
norsesses a distinct byramidal growth. Its ucuse.	THIE IOI	IAKO MMU
graceful habit are approached only by the finer Jap Some fine specimens are to be seen in the Arnold	Arboret	um, and
are the first plants of this Hemlock ever sent out, b	cing sup	plied by
me to Prof. C. S. Sargent, in 1884.	Each	. 10
3 to 4 ft	.\$4 00	\$35 00
4 to 5 ft	. 6 00	50 00
5 to 6 ft	15 00	90 00
0 to 7 ftsieboldi. 2½ to 3 ft	5 00	45 00
#1000141 272 W 0 14		

### **DECIDUOUS TREES AND SHRUBS**

Acer dasyoarpum. Silver Maple. 10 to 12 ft \$1 25 15 00 12 to 14 ft 175 15 00 dasyoarpum wieri. Cut-leaved Weeping Maple. 10 to 14 ft 200 ginnala. 2 to 4 ft 200 8 00 pennsyivanieum (striatum). 2 to 3 ft 40 3 00 4 to 0 ft 75 6 00 pentanoides. Norway Maple. 4 to 5 ft 50 3 50 \$30 \$30 \$4 to 0 ft 50 3 50 \$30 \$30 \$10 to 12 ft 2 50 22 00 rubrum. 1½ to 2 ft 35 3 00 2 to 4 ft 50 4 00 \$30 \$4 to 10 ft 55 4 00 \$30 \$30 \$4 to 10 ft 125 10 00 90 \$10 to 12 ft 2 50 22 00 \$10 to 12 ft 50 4 00 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30 \$30			_		
dasyoarpum wieri. Cut-leaved Weeping Maple.       10 to 14 ft.       2 00         ginnala. 2 to 4 ft.       75 6 00         4 to 5 ft.       1 00 8 00         pennsylvanieum (striatum). 2 to 3 ft.       40 3 00         4 to 0 ft.       75 6 00         piatanoides. Norway Maple. 4 to 5 ft.       50 3 50 \$30         8 to 10 ft.       1 25 10 00 90         10 to 12 ft.       2 50 22 00         rubrum. 1½ to 2 ft.       35 3 00         2 to 4 ft.       50 4 00         saocharum. Sugar Maple. 1 to 1½ ft.       20 1 00 8         3 to 4 ft.       30 1 75         8 to 10 ft.       1 50 12 50         sploatum. Mountain Maple. 1½ to 2 ft.       30 1 75         Adelia acuminata. 3 to 4 ft.       1 00         Æsculus hippocastanum. 3½ in. caliper.       7 50         ootandra. 0 to 12 in.       25 1 50         Aralia spinosa.       25 0 20         Aralia spinosa.       25 0 00         Aronia arbutifolia. 1½ to 2 ft.       65 5 00         3 to 4 ft.       1 00         5 to 0 ft.       65 5 00         4 ft.       1 00         65 5 00       40         65 5 00       50         65 5 00       60	12 to 14 ft	to 12 ft\$1	25	\$10 00	100
10 to 14 ft.	dasyoarpum wieri. Cut-leaved Wee	ping Maple.			
4 to 5 ft	10 to 14 ft	2			
pennsylvanicum (striatum). 2 to 3 ft					
4 to 0 ft					
## Piatanoides. Norway Maple. 4 to 5 ft. 50 3 50 \$30 0 8 to 10 ft. 1 25 10 00 90 0 10 to 12 ft. 2 50 22 00 10 to 12 ft. 35 3 30 0 2 to 4 ft. 50 4 00 \$8 accharum. Sugar Maple. 1 to 1½ ft. 20 1 00 8 15 15 15 15 15 15 15 15 15 15 15 15 15					
8 to 10 ft. 1 25 10 00 90 10 to 12 ft. 2 50 22 00 rubrum. 1½ to 2 ft. 35 3 00 2 to 4 ft. 50 4 00 saocharum. Sugar Maple. 1 to 1½ ft. 20 1 00 8 3 to 4 ft. 30 1 75 15 8 to 10 ft. 1 50 12 50 40 12 50 40 18 seculus hippocastanum. 3½ in. caliper. 7 50 ootandra. 0 to 12 in. 25 Amelanchier botryapium. Shad Bush. 2 to 4 ft. 30 2 50 20 Aralia spinosa. 25 2 00 40 50 40 3 50 55 60 60 6 erythrocarpa. Dwarf. 1½ to 2 ft. 75 6 00 6 60 00	4 to 0 ft				***
10 to 12 ft. 2 50 22 00  rubrum. 1½ to 2 ft. 35 3 00 2 to 4 ft. 50 4 00  saocharum. Sugar Maple. 1 to 1½ ft. 20 1 00 8 3 to 4 ft. 30 1 75 15 8 to 10 ft. 150 12 50 Adelia acuminata. 3 to 4 ft. 100  Æsculus hippocastanum. 3½ in. caliper. 7 50 ootandra. 0 to 12 in. 25 1 50 Ameianchier botryapium. Shad Bush. 2 to 4 ft. 30 2 50 20  \$ to 0 ft. 5 to 0 ft. 50 4 00 30  Aralia spinosa. 25 2 00  Aronia arbutifolia. 1½ to 2 ft. 65 5 00 40 erythrocarpa. Dwarf. 1½ to 2 ft. 75 6 00 erythrocarpa. Tall. 1½ to 2 ft. 75 6 00	piatanoides. Norway Maple. 4 to	5 ft			
rubrum. 1½ to 2 ft					90 0
2 to 4 ft					
Saocharum. Sugar Maple. 1 to 1½ ft					
3 to 4 ft					9.0
8 to 10 ft	sacenarum. Sugar Maple. 1 to 17				
### sploatum. Mountain Maple. 1½ to 2 ft					10 (
Adelia acuminata. 3 to 4 ft					
#Esculus hippocastanum. 3½ in. caliper	Adelie souminete 2 to 4 (t	1		1 10	
ootandra. 0 to 12 in.       25       1 50         Amelanchier botryapium. Shad Bush. 2 to 4 ft.       30       2 50       20         5 to 0 ft.       50       4 00       30         Aralia spinosa.       25       20         Aronia arbutifolia. 1½ to 2 ft.       65       5 00       40         3 to 4 ft.       1 00       8 50       55         erythrocarpa. Dwarf. 1½ to 2 ft.       75       6 00         erythrocarpa. Tall. 1½ to 2 ft.       75       6 00	Factilis hipposstonum 214 in se	liner 7			
Amelanchier botryapium. Shad Bush. 2 to 4 ft. 30 2 50 20 5 to 0 ft. 50 4 00 30 \$ 4 00 30 \$ 4 00 \$ 30 \$ 4 00 \$ 30 \$ 4 00 \$ 30 \$ 4 00 \$ 30 \$ 4 00 \$ 30 \$ 4 00 \$ 40 \$ 4	ootendre 0 to 12 in	iiper		1.50	
5 to 0 ft       50       4 00       30 °         Aralia spinosa.       25       2 00         Aronia arbutifolia.       1½ to 2 ft       65       5 00       40         3 to 4 ft       1 00       8 50       55         erythrocarpa.       Dwarf.       1½ to 2 ft       75       6 00         erythrocarpa.       Tall.       1½ to 2 ft       75       6 00	Amelenchier hotevanium. Shad Rus	h. 2 to 4 ft.			20 0
Aralia spinosa.       25       2 00         Aronia arbutifolia.       1½ to 2 ft.       65       5 00       40         3 to 4 ft.       1 00       8 50       55         erythrocarpa.       Dwarf.       1½ to 2 ft.       75       6 00         erythrocarpa.       Tall.       1½ to 2 ft.       75       6 00					30 '0
Aronia arbutifolia.       1½ to 2 ft				2 00	
3 to 4 ft	Aronia arbutifolia. 11/2 to 2 ft			5 00	40 (
erythrocarpa. Dwarf. 1½ to 2 ft	3 to 4 ft	1	00	8 50	55 (
erythrocarpa. Tall. 1½ to 2 ft 75 6 00	erythrocarpa. Dwarf. 11/2 to 2 ft.		75	6 00	
	erythrocarpa. Tall. 11/2 to 2 ft				
	melanooarpa. 12 to 15 in		75		
nigra. Black Chokeberry. 1½ to 2 ft 40 3 75 35	nigra. Black Chokeberry. 1½ to 2	ft	40	3 75	35 (

### HARDY AZALEAS

The finest Azaleas in the world for permanent planting under American conditions are native species, including A. arborescens, A. vaseyi, A. lutea (calendulacea), the great finme-colored Azalea, and A. nudiflora, A. viscosa and A. canescens.

I have a stock of thousands of the finest plants in all sizes that will give immediate effect, and prices will be sent on request. It should be remembered that Azaleas play a very important part in the making of a permanent Rhododendron-bed, but care must be used to avoid clashing of colors. I shall be glad to make up proper combinations for my customers.

#### Catalog of BOXFORD NURSERY



Azalea lutea (calendulacea). Great Flame Azalea

#### HARDY AZALEAS, continued

HARDI AZALEAS, CORUNU	Ea		
Azalea arborescens. Fragrant White Azalea.	1.	10	100
9 to 12 in\$0	teh 40	10	100
1 to 1½ ft	60	\$3 50 5 00	\$25 00 45 00
1 to 1½ ft., elumps 1		12 50	100 00
1½ to 2 ft., clumps 2	50	22 50	200 00
2 to 3 ft., elumps 4	00	35 00	-00 00
3 to 4 ft., elumps 6	00	50 00	
3 to 4 ft., elumps	00	5 00	
gandavensis. Ghent Azalca. A much finer and			
more permanent variety than mollis.			•
2 to 3 ft., clumps 1	50	12 00_	
Azalea lutea (calendulacea). Flame Azal striking shrub of our eastern	ca.	This is the	ie most
from light sulphur-yellow to dark red. We	hor	es. Coloi	rs range
selected and marked according to shade, and o	TISTA	o a migo	m ot 25
	eli	10	100
9 to 12 in., elumps\$0		\$2 00	
I to 1½ ft., clumps	80	7 00	\$17 50 60 00
1 1/2 to 2 ft., clumps 1		10 00	
2 to 3 ft., elumps 2	00	18 00	
3 to 4 ft., clumps	50	30 00	
mollis. I to 1 1/4 ft	75	6 00	50 <b>00</b>
1½ to 2 ft	00	8 00	70 00
nudifiora. Pinxter Flower. 9 to 12 in	30	2 50	20 00
9 to 12 in., elumps	00	5 00	40 00
Azalea vasevi. Southern Azalea. Delicate	-80 -11	7 00	00 00
Azalea vaseyi. Southern Azalea. Deficate from pink to pure white	snei!	i-textured	nowers
Tiom place was	, thi	10	100
9 to 12 in\$0		\$5 00	\$40 00
2 to 3 ft		18 00	<b>410 00</b>
1 to 136 ft., elumps 1		7 00	60 00
1 1/2 to 2 ft., clumps 1		15 00	130 00
1½ to 2 ft., clumps	50	· 4 00	30 00
1 to 1 1/2 it., clumps	00	8 00	70 00
4 to 5 ft., elumps	00	<b>25 00</b>	
Berberis aggregata. A new species collected by			
I. H. Wilson in Central China. Probably a	77	a 00	
fine hedge plant. 1 to 1½ ftcanadensis. American Barberry. 1 to 1½ ft	75	6 00	
canadensis. American Barberry. 1 to 1 ½ it	50 50	4 00	
thumbers Issanga Rarbarre 0 to 12 in	20	1 75	15 00
repens. 3 to 6 inthunbergi. Japanese Barberry. 9 to 12 in  1 to 1½ ft	35	ີ ລີ ວິດ	27 50
1½ to 2 ft	50	3 30 4 50	40 00
vulgaris. Common Barberry. 11/2 to 2 ft	3Ŏ	2 50	20 00
3 to 4 ft	50	4 00	
3 to 4 ft  Betula alba. European White Birch. 3 to 4 ft	50	4 00	35 00
4 to 5 ft	75	0 00	
	25	10 00	
nigra (rubra). I to 2 ft	30		
papyrifera. 2-yrpopulifolia. 1½ to 2 ft	15	75	6 00
рорингона. 1 ½ to 2 tt	30	2 00	
Caragana arborescens. 3 to 4 ft	50	4 00	
Beech. 3 to 4 ft	40	3 50	30 00
4 to 6 ft	60	5 00	40 00
Castanas pumila. Chinkapin. 11/4 to 2 ft	50	4 50	
Castanea pumila. Chinkapin. 1½ to 2 ft Catalpa speciosa. 2-yr. seedlings. \$18 per 1,000.	10	50	3 00
2 to 3 tt	20	1 50	12 00
Cephalanthus occidentalis. 1½ to 2 ft	<b>3</b> 5	2 50	
Cercidiphyllum japonicum. Kadsura Tree. 4 to 5 ft			
4 to 5 ft 1	00	8 50	

## KELSEY'S Hardy American Plants Rhododendrons and Azaleas

### Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS, con	tinued	
Each Chionanthus virginica. White Fringe. 1½ to 2ft. \$0 30	10 \$2 50	100 \$22 50
Clethre sourminets Mountain Penney Push	· 4 00	30 00
alnifolia Sucat Penner Rush 0 to 18 io 25	3 00 1 50	12 50
Cornus florida rubra. Red-floweriog Dogwood.	3 00	25 00
1 to 2 ft	12 00 6 00	
sibirica alba. 2 to 3 tt	4 00 3 00	25 00 2
stolonifera Red Osier Cornel. 1 to 2 ft 30 stolonifera aurea. Yellow Osier Cornel.	2 50	20 00
2 to 3 ft. 65 3 to 4 ft. 1 00	5 00 7 50	40 00 60 00
Corylus rostrata. Beaked Hazelnut. 1½ to 2 ft. 25	1 75	15 00
crus-galli. Cockspur Thorn, 1 to 2 ft 30	1 75 2 50	20 00
2 to 3 ft	3 50 6 00	30 00
oxyacantha, Paul's Scarlet. 1½ to 2 ft	6 00 8 00	
oxyacantha, Double White	0 00 2 50	20 00
2 to 3 ft	3 50 5 00	30 00
Cydonia japonica. 2 to 3 ft	· 3 00	20 00
maulei superba. 2-yr., strong	3 00 1 50	
Diervilla lutea. 2 to 3 ft	2 50 4 00	20 00
Diospyros virginiana. 1 to 2 ft	3 50	
1 to 1½ ft	5 00 10 00	40 00
3 to 4 ft	15 00 3 50	
europæa latifolia. 2 1/4 to 3 ft	4 00 10 00	1
ohovatus. 1 to 1½ ft	1 75 0 00	15 00
Forsythia fortunei. Goldeo Bell. 1 to 2 ft 30 intermedia. Hyhrid Goldea Bell. 4 to 5 ft 60	2 50 5 00	20 00 40 00
sieboldi. 3 to 4 ft	5 00 3 00	25 00
Fraxinus americana. 4 to 5 ft	3 50 5 00	20 00
8 to 10 ft	8 00 5 00	40 00
0 to 8 ft	0 00 10 00	10 00
Gaylussacia resinosa. 0 to 18 in., "collected"	1 00	8 50
1 to 2 ft., "collected" clumps	3 50 3 00	30 00 20 00
Gleditsohia triacanthos. 1 to 1½ ft	1 50	20 00
1 to 2 ft	3 00 1 25	20 00
2 to 3 ft	2 00	10 00
1 to 2 it	2 50 3 50	
hex monticols. Deciduous Holly, 1 1/2 to 2 ft 25	1 75	15 00
1½ to 2 ft	3 50 5 00	
2 to 3 ft	0 00 3 00	00.00
Itea virginica.       2 to 3 ft	3 00 3 00	20 00 27 00
Larix larioina (americana). 8 to 10 ft 1 25 Leucothce racemosa. 12 to 15 io., clumps 40	10 00 3 50	30 00
recurva. Mountain Leucothoë. 1 to 1½ ft 25 Ligustrum ibota. Ibota Privet. 1 to 1½ ft 20	1 75 1 50	15 00 12 00
2 to 3 ft	3 00 1 50	25 00 10 00
1 to 1½ ft	3 00 4 00	25 00
media. 1 to 1½ ft	1·50 1·25	10 00 10 00
3 to 4 it	4 50	05.55
3 to 4 ft	3 00 6 00	25 00
Malus niedzwetzkyana. Red-flowering Crab.	4 00	
4 to 5 lt	6 00 3 00	25 00
Myrica cerifera. Wnx Myrtle.  0 to 12 in., heavy clumps 50 gale. Sweet Galc. 0 to 18 in "collected" clumps 60	4 00	35 00
gale. Sweet Galc. 0 to 18 in "collected" clumps 60 0 to 18 in., "collected" plants 15	5 00 1 00	40 00 8 50

#### Catalog **BOXFORD NURSERY** of

DECIDUOUS TREES AND SHRUBS.	cont	inued	
Nyssa multiflora. Black Gum. 6 to 12 in\$6	aeh	10 \$3 00	100
1 to 1½ ft	50	4 00	
Ostrya virginica. Ironwood. 1½ to 2 ft	30 50	2 50 4 00	
3 to 4 ft		4 00	
1 to 2 it\$250 per 1,000	40 4	3 50	\$30 00
	00 25	8 00 10 00	70 00
Populus deltoides (monilifera). 5 to 6 ft	60	5 00	10.00
fastigiata. Lomhardy Poplar.\$110 per 1,000 6 to 8 ft	25 75	2 00 6 00	16 00 50 00
8 to 10 ft	25	10 00	80 00
Prunus pumila. Sand Cherry. 9 to 12 in	25 40	2 00 3 50	18 00 30 00
tomentosa. 2 to 3 ft	40	3 50	00 00
Quereus eocelnea. Scarlet Oak. 2 to 3 ft macrocarpa. Mossy-cup Oak. 4 to 5 ft 1	50 00	4 00 8 00	
6 to 7 ft 1		12 00	
palustris. Pin Oak. 6 to 7 ft		8 00 15 00	
10 to 12 ft 2	50	20 00.	
Rhamnus dahurica. 2 to 3 ft	40	3 00	
Rhodotypos kerrioides. White Kerria. 1½ to 2 ft. Rhus aromatics (canadensis). Sweet-seented	35	3 00	
Sumac. 2-yr. seedlings\$50 per 1,000.	10	75	6 00
oopallina. Upland Sumac. 1 to 2 ft	25 25	1 75 1 75	15 00 15 00
ootinoides. Chittam-wood. 8 to 10 ft 3	00		
Ribes aureum. Flowering Currant. 1½ to 2 ft 2 to 3 ft	25 40	2 00 3 00	18 00 27 50
Robinia kelseyi. 1 to 2 ft	50	4 00	30 00
viscosa. Clammy Locust. 5 to 6 ft	60 35	5 00 3 00	25 00
gymnocarpa. 9 to 18 iniuelda. Glossy Rose. 1½ to 2 ft	40	3 00	20 00
iueida. Glossy Rose. 1½ to 2 ft	25 35	2 00 3 00	17 50 25 00
2 to 3 ft	25	2 00	15 00
rubiginosa. 1½ to 2 ft	35	3 00 2 00	25 00
rugosa. Japanese Rose. 6 to 12 in	25 40	2 00 3 50	10 00 30 00
2 to 3 ftrugosa alba. White Japanese Rose. 1 to 2 ft	50	4 50	40 00
2 to 3 ft	40 60	3 50 5 00	30 00 40 00
spinosissima. Scotch Rose. 0 to 12 in	60	5 00	
woodsi. 9 to 12 in	40	3 00	
Raspherry, 1 to 1 1/2 ft	60	5 00 .	
odoratus. Flowering Raspberry. 1 to 1½ ft Salix humilis. Prairie Willow. 2 to 3 ft	20 25	1 50 2 00	12,00
Russian Golden, 1 to 1 1/2 (t	15	1 00	8 00
Wisconsin. 1 to 1½ ft	15	1 00	8 00
1½ to 2 ft	35	3 00	25 00
racemosus (pubens). 1½ to 2 ft	30	2 75	
2 to 3 ft	40	3 00	
Spirses, Anthony Waterer. 0 to 12 in	25 35	2 00 3 00	17 50 25 00
1½ to 2 ft	60	5 00	40 00
thunbergi. Snow Garland. 1 to 2 ft	35 50	3 00 4 00	20 00 30 00
tomentosa. Steeple Bush. 2 to 3 ft., elumps	50	4 00	30 00
tomentosa. Steeple Bush. 2 to 3 ft., elumps van houttel. Bridal Wreath. 1 to 2 ft	30	2 00	18 00
2 to 3 ft Stephanandra flexuosa. 1 to 1½ ft	50 35	4 00 3 00	30 00 27 50
Stuartia pentagyna. Alleghany Stuartia.			
1 to 1½ ft	00	8 00	
1 1/6 to 2 it	35	3 00	20.00
vulgaris. Coral Berry. 2 to 3 ft	50	4 00	30 00

### LILACS ON THEIR OWN ROOTS

Fine collection of some of the best and newest hybrids in specimen stock. It is only recently that Lilacs on their own Roots were obtainable.

Ordinary stock is grafted on Privet, which "suckers" hadly, often erowding out and killing the grafted top and leaving a Privet instead of a Lilac. The Lilac is the queen of spring-flowering shruhs, and the new hybrids mark an epoch in horticulture. For a tall hedge or screen there is nothing better than the Lilac, and for this purpose the old-fashioned white and purple sorts make a charming combination.

ma parpio doi do mano a calmining comminations			
D-Double varieties; S-Single varieties.	10		
Syrings, Alphonse Lavalle. (D). 2 to 3 ft	6 0	0 \$55	00
Andre Dupont. 2 to 3 ft	6 0	0 55	00
3 to 4 ft			00
Anite Duke. 3 to 4 ft	8 0	0 75	00
Beranger. 4 to 5 ft			00
canadensis. (D). White. 2 to 3 ft	0 0	0 55	00
Charles X. (S). Dark red; trusses large hut loose com-		-	
pared with some of the newer sorts. 2 to 3 ft.	6 0	0 55	00
Clande de la Reine. 3 to 4 ft	8 0	0 75	00
4 to 5 ft	2 5	0 110	00
cerules superbs. (8). Blue. 4 to 5 ft			00

## KELSEY'S Hardy American Plants Rhododendrons and Azaleas

### Catalog of BOXFORD NURSERY

LILACS ON THEIR OWN ROOTS, continued	
Syrings, Crampel, 3 to 4 ft	100 . \$75.00
Syringa, Crampel. 3 to 4 ft	75 00
Edouard Andre. 3 to 4 ft	75 00 75 00
Geant des Batailles. (S). Bright reddish lilae; large	70 00
trusses. 2 to 3 ft	55 00 75 00
	110 00
4 to 5 ft	50 00 - 75 00 -
0 to 8 ft10 00	90 00
josikæa. (S). Purple. 2 to 3 ft	30 00 40 00
Jeanne Morie. 3 to 4 ft	75 00
Leon Simon. (D). Buds coral, opening blue; panieles	110 00
compact. 4 to 5 ft	55 00
3 to 4 ft	75 00
violet bud. 2 to 3 ft 6 00	55 00
3 to 4 ft	75 00
2 to 3 ft 6 00	- 55 00
3 to 4 ft	75 00
2 to 3 ft	<b>55 00</b>
Mme. Casimir Perier. (D). Creamy white; very large. 2 to 3 ft	55 00
3 to 4 ft	75 00 75 00
Mme. Dupont. 3 to 4 ft	75 00 75 00
4 to 5 ft	110 00 55 00
Mons. Le Page. Scmi-double; blue. 4 to 5 ft	110 00
persica. Persian Lilae. (S). Light purple; babit more open, branches more slender and drooping	
than other Lilacs. 3 to 4 ft	75 00
President Loubet. (D). Bright erimson-purple, buds earming. 2 to 3 ft	55 00
Princess Alexandra. Pure white flowers; panieles	75 00
medium to large. 3 to 4 ft	75 00
panicles. 2 to 3 ft	55 00 75 00
4 to 5 ft	110 00
Rubra de Marley. 2 to 3 ft	55 00 75 00
saugeana. Reddish lilae. 3 to 4 ft	75 00
Senator Volland.       3 to 4 ft	75 00 110 00
4 to 5 ft	75 00 110 00
later than those of other Lilacs. 2 to 3 ft 6 00	55 00
virginite.       (D). Soft pink. 2 to 3 ft	55 00 75 00
4 to 5 ft	110 00
2 to 3 ft 0 00	55 00
3 to 4 ft	75 00 30 00
vulgaris alba. (S). Common White Lilae.	
Wm. Robinson. (D). Deep violet; very large trusses.	30 00
3 to 4 It 8 00 Each 10	75 00 100
Tilia americana. American Linden. 5 to 7 ft \$0 75 \$0 00	
europæa (vulgaris). 2 in. ealiper	
8 to 10 ft	\$10 00
2 to 3 ft 25 2 00	18 00
3 to 4 ft	20 00 25 00
5 to 0 ft 40 3 00	27 50
7 to 8 ft	40 00 90 00
10 to 12 ft	
racemosa. 2 to 3 ft	
Vaccinium corymbosum. High Bush Cranberry.	
1 to 1½ it	30 00
2 to 3 ft	70 00
3 to 4 ft	
"Col." elumps. \$40 to \$200 per 100 erythrocarpon. 1 to 2 ft	
pallidum. Mountain Blueberry. 1 to 2 ft 40 3 00	
Stamineum. Deerberry. 1 to 1½ ft	27 50
1 to 11/2 ft	20 00
Viburnum alnifolium. Hobble Bush. 2 to 3 ft. 75 6 00	

### Catalog of BOXFORD NURSERY

DECIDUOUS TREES	AND	SHRUBS,	continued
-----------------	-----	---------	-----------

Viburnum cassinoides. Witherod. E	lach	10	100
11/4- 9.54		\$2 00	\$15 00
1½ to 2 ft	40	3 00	27 50
2 to 3 ft	50	4 00	35 00
	40	3 00	20 00
3 to 4 ft	. 00	8 00	70 00
Iantana. Wayfaring Tree. 11/2 to 2 ft	40	3 00	
2 to 3 ft	60	5 00	
molle. Soft-leaved Arrow-wood. 11/2 to 2 ft	50	4 00	
nndum. 1 to 3 ft	40	3 00	
opuius (oxycoecus). 9 to 12 in	20	1 50	12 00
1 to 1½ ft	30	2 00	18 00
2 to 3 ft	50	4 00	
3 to 4 ft	60	5 00	
opulus nanum. Dwarf Cranberry Bush. 6 in	40	3 00	27 50
0 to 9 in., very bushy	60	5 00	40 '00
plicatum. 0 to 12 in	30	2 00	
prunifolium. Black Haw. 3 to 4 ft	75	6 00	
sieboldl. 1 to 2 ft	65	5 00	
tomentosum. 3 to 4 ft	75	0 00	50 00
Vthk:::f-1:- Yellow Root.	•••		
Xanthorrhiza apiifolia. Yellow Root.	35	3 00	27 50
1 to 1 1/2 ft	60	5 00	40 00
1 to 1½ ft	30	2 00	18 00

### Vines and Climbing Plants

1	Ench	10	100
Actinidia arguta. Silver Vine. 2 years\$6		\$4 00	
Akebia quinata. 1 to 1½ ft	50	4 00	
Ampelopsis quinquefolia engelmanni. Searlet		- 00	
Virginia Creeper. Strong, 2 years.	40	3 50	\$30 00
quinquefolia (virginica). Virginia Creeper.		0 00	<b>400 00</b>
2 to 3 ft., heavy	50	4 00	
veitchi. Boston Ivy. 1½ to 2 ft	50	4 00	35 00
Aristolochia sipho. Dutchman's Pipe. Strong	50	4 00	30 00
Celastrus punctatus. 2 to 3 ft	30	2 00	17 50
scandens. Bittersweet. 1½ to 2 ft	20	1 25	10 00
Euonymus radicans. Climbing Euonymus.		1 20	10 00
Strong, 2 years	40	3 50	30 00
radicans vegetus. 0 to 9 in	50	4 00	35 00
1 to 1½ ft	75	0 00	50 00
Lonicera belgica.	40	3 50	00 00
japonica halleana. Hall's Honeysuekle.	10	0 00	
Strong\$160 per 1,000	30	2 50	20 00
sempervirens. Coral Honeysuckle. Strong	40	3 50	20 00
Lycium chinense. 2 to 3 ft	30	2 50	20 00
Rosa, Crimson Rambler. 1½ to 2 ft	25	1 75	15 00
Dorothy Perkins. 1½ to 2 ft	25	1 75	15 00
Farquhar. 1½ to 2 ft	25	1 75	15 00
Lady Gay. 11/2 to 2 ft	25	1 75	15 00
setigera. Prairio Rose. 1½ to 2 ft	25	2 00	10 00
Wm. C. Egan. 1 to 1½ ft	25	1 75	10 00
Rubns laciniatus. 1 to 2 ft	40	3 50	
Tecoma capreolata (crucigera). Cross Vinc	30	2 00	
grandifiora. Trumpet Vine	75	0 00	
Vitis (Cissus) aconitifolia dissecta.	,,,	0 00	
2-yr. seedlings	15	1 25	8 00
brevipendunculata. 2-yr. seedlings	15	1 25	8 00
cordata. 2-yr. seedlings	25	2 00	0 00
	15	1 25	
discolor. 1-yr. seedlings	15	1 25	8 00
	75	0 00	0 00
2 to 3 ft	25	0 00	
heterophylla tricolor. 2 years	50	4 00	
Wistaria chinensis alba. I to 1½ ft	50	4 00	
	75	0 00	
multijuga. Japanese Wistaria. Strong	10	0.00	

## Hardy Herbaceous Perennials

	Each	10	100
Actes rubra. Red Baneberry	\$0 30	\$2 00	\$15 00
Anemone Japonica, Queen Charlotte	25	2 00	15 00
Whirlwind	25	2 00	15 00
Armeria robusta	20	1 75	12 00
Asters, in variety		1 25	10 00
spectabilis nenco	40	3 00	
Baptisia tinctoria. Yellow Indigo. Heavy elumps.	30	2 50	15 00
Bicuculla (Dicentra) eximia. Wild Bleeding			
Heart	20	1 50	12 00
spectabilis. Bleeding Heart	35	3 00	
Caltha painstris. Marsh Marigold		1 25	10 00
Carex fraseri. Evergreen Sedge	20	1 75	15 00
Cassia marylandica	20	1 50	12 00
Champlifium Inteum,	20	1 25	10 00
Chelone glabra. Turtle-Head	20	1 50	12 00
Iyoni	20	1 50	12 00
Chrysanthemums, Hardy	25	2 00	15 00

## KELSEY'S Hardy American Plants Rhododendrons and Azaleas

### Catalog of BOXFORD NURSERY

### HARDY HERBACEOUS PERENNIALS, continued

		Each	10	100
Cimicifuga americanaracemosa. Black Snakeroot		50 20 20	\$1 50 1 50	\$12 00 12 00
Convallaria majalis. Lily-of-the-Valley		15	1 00	8 00
Coreopsis verticiliata		15 20	1 00 1 25	8 00 10 00
Cypripedium acaule. Moccasin Flower		15	1 25	10 00
reginæ. Showy Lady's Slipper.  1 to 2 erowns		30	2 50	20 00
3 to 4 crowns		75	6 00	50 00
5 to 6 erowns			10 00 15 00	80 00
Dicentra spectabilis		20	1 50	12 00
Dodecatheon. Shooting Star; American Cow	rslip. A	mong	the most	charm-
ing early wild flowers. The species horders where they are subject to dr				
clevelandi. Tall-growing form, with pure	white	or de	li- 10	100
eate pink flowershendersoni. Another of the hest species v	vith rec	l flowe	\$1 00 ers. 1 00	\$4 00 4 00
patulnm. White, pale cream-color or rare	ely pinl	cish	1 00	4 00
radicatnm. Flowers deep rose-color Drosera rotundifolia			1 00	8 00 8 00
Drosera rotundifolia Violet). The Erythronium (Dog's Tooth Violet). The	se sma	ll, hul	hous pla	nts are
extremely handsome in foliage and flo should be massed in cool, moist wo	odlands	s or l	orders o	or along
streams. Among the earliest spring flo leaves, make a fine, early ground-cove	owers a	nd, w	ith their	mottled
albidum. Leaves not mottled. Flowers E	Caeh	10	100	1,000
white, yellow at haseamericanum. Bright yellow. Leaves	\$1	50	\$12 00	
mottled white. Common through-		F.0	0.00	010 00
out eastern statescalifornicum. Cream-colored; often 4		50	2 00	\$16 00
to 5 on a stem, mottled leaves		50	2 00	16 00
citrinum. Light yellow, orange at een- ter, tips hecoming pink		00	4 00	35 00
grandiflorum. Bright yellow, with	1	00	4 00	35 00
unmottled leaves	1	00	4 00	35 00
hartwegi. Yellow, each flower on a separate stalk		50	2 50	16 00
nendersoni. Flowers light purple with	1	. 00	4 00	35 00
dark centerspurpurascens. Small, spreading flow-	•			00 00
ers erowded in a raceme; light yellow, becoming purplish. Smallest species.	1	. 00	4 00	35 00
revolutum. Pink, hecoming purple	_	00	4 00	35 00
Eulalia gracillima\$0 Eupatorium ageratoides. White Snake-	25 2	00,	15 00	
root	15 1		10 00	
purpureum. Trumpet Weed		. 75 . 50	15 00 12 00	
Galax aphylla. Galax, or Coltsfoot	35 2	25	18 00	
Habenaria ciliaris. Yellow Orchis Helenium autumnale		. 00 . 00	8 00 8 00	
Helonias bullata. Swamp Pink		25	10 00	
Hemerocaliis, Gold Dust middendorfiana		50 50		•
Orangemansieboldi		50 50	12 00	
thunbergi		50	12 00	
Heuchera americanasanguinea. Coral Bells		. 00	8 00 10 00	
Heracleum japonicum		00	10 00	
Hibiscus. Mallow Marvels. Assorted				
Eydrastis canadensis. Golden Seal		00	8 00	,
Iris germanica. Mixed varieties	20 1	50	12 00	
kaempferipseudacorus		. 50 . 50	12 00 12 00	
pumilasibirica, Snow Queen	20 1	50		
verna		50	12 00 12 00	
versicolor. Blue Flag		. 00	8 00	
Lacinaria pumila. Button Snakeroot pyenostachya		50 50	12 00 12 00	
spicata	15 I	25	10 00	
Lilium auratum. Gold-handed Lily.	1	50	12 00	
9 to 11 in		00	18 00 40 00	
bolandericanadense. Wild Yellow Lily. 2d size.		60	5 00	. 36 00
canadense rubrum. 1st size		00	7 00 18 00	.60 00
candidum. Madonna Lily	1	25	10 00	80 00
carolinianum. Carolina Lily. 2d size.	_	00 25	7 00 10 00	60 00
columbianum. 2nd size	2	00	16 00	
grayi. 2nd size	3 , 1	00	25 00 6 00	<b>50</b> 00
lst size	7 1 7	25 00	10 00 60 00	80 00
henryi		00	80 00	
14				

### Catalog of BOXFORD NURSERY

HARDY HERBACOUS P	ERENNIA	LS, co	ntinued	1
Lilium humboldti. 7 to 8 in	Each	10	100	1,000
8 to 9 in		\$3 00 3 50	\$20 00 25 00	\$160 00 180 00
9 to 11 inhumboldti bioomerianum	• • • •	6 50 3 50	45 00 25 00	
keilogi		6 50	45 00	
maritimnmpardalinum. Single		6 50 1 50	45 00 12 00	
Heavy		2 00	16 00	
parryi. Medium Large		0 50 8 00	45 00 70 00	
parviflorumparvum. Medium	• • • •	2 00 3 50	16 00 25 00	
Large		6 50	45 00	50.00
philadelphicumroezli		75 3 50	6 00 25 00	50 00
rubescensspeciosum album. 8 to 9 in	• • • •	6 50 2 00	45 00 18 00	160 00
9 to 11 in		3 50	25 00	220 00
speciosum melpomene. 8 to 9 in 9 to 11 in		1 50 2 00	12 00 16 00	100 00 140 00
speciosum rubrum. 8 to 9 in		1 50 2 00	12 00 16 00	100 00 140 00
9 to 11 insuperbum. Turk's-Cap Lily. 3d s	ize	40	2 00	18 00
2d size 1st size		75 1 00	5 00 8 00	30 00 60 00
tenulfolium. Siberian Coral Lilv.		1 50	12 00	100 00
tigrinum. Tiger Lilytigrinnm fl. pl. Double form		1 00 1 00	8 00 8 00	60 00 60 00
wallacei. Dwarf species washingtonianum. 7 to 8 in		1 50 2 50	12 00 20 00	
8 to 9 in		4 00	30 00	
9 to 12 in	<b>\$</b> 0 20	5 00 1 50	40 00 12 00	
Lycopodium, in variety	15	1 00	8 00	
Lysimaohia nummularia Lythrum sailearia roseum		1 00 1 50	8 00 12 00	
Pæonies, in variety. Strong elumps. Strong plants, with 2 or 3 c	75 eves. 25	6 00 1 75	50 00 15 00	
Panax quinquefoilum. 3d size		60	5 00	35 00
2d sizo 1st size		85 1 25	7 50 10 00	90 00
Papaver nudicaule Petasites fragrans	20	1 50 1 50	12 00	
Phiox decussata, in variety	30	2 00	18 00	
subulata. Moss Pinksubulata alba. White Phlox	15	1 00 1 00	8 00 8 00	
	Solo-	1 50	12 00	
Pontederia oordata. Piekorol Weed.	15	1 00	8 00	
Porteranthus (Gillenia) stipulaeea Ranunculus repens	20	1 00 1 50	8 00	
Rudbeckia newmani	20	1 50 75	12 00 6 00	36 00
Sanguinaria is shipped entire	ly at	10	0 00	30 00
eonsignee's risk. Sarracenia drummondi	25	1 75	15 00	
catesbæifiava.	25	1 75 1 75	15 00 15 00	
psittacina	25	1 75	15 00	
purpurea. Northern Pitchor Plantrubra	t 20	1 25 1 75	10 00 15 00	
variolaris (minor)	$\dots$ 25	1 75	15 00	
Sedum (Stonecrop), in variety	20	1 00 1 50	8 00 12 00	
spectabiletelephium hybridnm	20	1 50 1 50	12 00 12 50	
Sempervivum aouminatum. Single	20	1 25	10 00	
arachnoideum. Single	$ \begin{array}{ccc}     & 20 \\     & 20 \end{array} $	1 25 1 25	10 00 10 00	
fimbriatum. Single	20	1 25 1 25	10 00 10 00	
mitteniamum nanum. Singlo	20	1 25	10 00	
soboliferum (globiferum). Single tectorum. Single	20 20	1 25 1 25	10 00 10 00	
violaceum. Single	20	1 25 3 00	10 00 25 00	
Shortin galacifoila. 2d size	75	0 00	50 00	00.00
Soildago, in variety Spigella marilandica	50	1 25 4 00	10 00 30 00	90 00
Stenanthium robustum. Moun	tain	1 50	12 00	
Feather Fleece. 2nd size	40	3 00	26 00	
Stokesia cyanea	15	1 00 1 00	8 00 8 00	
erectum. Erect Wake-Robin. 2nd	Bize.	40	3 00	18 00
lst sizeerectum album		75 1 00	5 00 8 00	
grandifiorum. 2nd size		30 60	1 50 3 50	12 00 20 00
nivale		1 00	8 00	
recurvatum		75 75	5 00 6 00	30 00 50 00
sessile. Snow Queensessile californicum		75 75	6 00 6 00	50 00 50 00
16				

15

#### Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PERENN	NIAI	LS, co	ntinued		
Ea	ieh	10	100	1,00	00
Trillium sessile rubrum		\$0 75	\$6 00	\$50	00
stylosum. Nodding Trillium. 2nd size.		60	4 00	30	00
1st size		75	6 00	50	00
undulatum (erythrocarpum).					
Painted Wake-Robin. 2nd size		60	4 00	30	00
1st size		75	6 00	40	00
Thalictrum cornuti\$0	15	1 00	8 00		
	15	1 00	8 00		
Veronica rupestris	20	1 25	10 00		
Viola cornuta	15	1 00	8 00	60	00
pedata	15	1 00	8 00		
pedata bicolor	25	1 75	14 00		
	50	4 00			
glauca. Adam's Needle. Green	30	2 50			

### Hardy Native Ferns

Sizes following Ferns indicate the size the plant may be expected to

attain under cultivation.	-	•
Adlantum pedatum. Maidenhair FernPer 10 8 to 20 ia\$1 00	100 \$8 50	1,000 \$75 00
Aspidium (Dryopteris) acrostichoides. Dagger		
Fern. 8 to 20 in	0 00 12 50 6 00	50 00
goldianum. Goldie's Fern. 24 to 40 in 1 50	8 50 12 50 12 50	
marginalis. Shield Fern. 12 to 28 in	0 00 17 50	50. 00
noveboracensis. New York Fern	0 00 8 00 12 50	
thelypteris. Marsh Shield Fera 1 00	8 00	
Asplenium angustifolium. 3 to 4 in	10 00	
ebeneum. 9 to 18 in	8 00 8 00	
tholypteroides. Silvery Spleenwort, 2 to 3 ft 1 00	8 00	
trichomanes. Maidenhair Spleenwort. 3 to 8 in. 1 00	8 00	
Botryohlum ternatum dissectum	8 00 8 00	
virginianum. Virginia Grape Fern. 1 to 2 ft 1 00	8 00	
Camptosorus rhizophylius. Walking Fern 1 25	10 00	
Chellanthes fendleri. Lip Fera 4 00		
Cystoptoris bulbifera. Bladder Feru. 1 to 2 ft 75 fragilis. Brittle Feru. 4 to 12 in	0 00 8 00	
Dioksonia punotilobula. Ilny-seented Fern. 20 to 10 in	8 00	00 00
Lygodium palmatum. Climbing Fern. 1 to 3 ft., 1 50	12 50	00 00
Oncoloa sensibilis. Sensitivo Fern. 4 to 12 in 1 00 struthiopteris. 2 to 10 ft 1 00	8 00 8 00	00 00
Ophioglossum vulgatum. 2 to 42 in 1 00	8 00	
Osmunda olnnamomea. Cinnamoa Fera. 32 to 63 in	12 00	100 00
olaytoniana. Clayton's Fern. 2 to 4 ft 1 50	12 00	100 00
graoilis. 2 to 0 in	8 00 12 00	
Pellea atropurpurea. Purple-stemmed Cliff Brako	12 00	
4 to 24 ia 1 50	12 00	
densa	8 00 12 00	
Phegopteris dryopteris. Oak Fern. 6 to 10 in 1 00 hexagonoptera. Broad Beech Fern. 7 to 12 in. 1 00 polypodioides. 4 to 8 ia	8 00 8 00 8 00	
Polypodium faloatum. 0 to 15 in	10 00	
vulgaro. Polypody. 3 to 6 in	0 00	45 00
Pteris aquilina. Common Brake. 4 to 36 in 75	5 00	30 00
Soolopondrium vulgare	20 00	
Woodsia ilvensis. Rusty Woodsia	8 00 8 00	
Woodwardia angustifolia	12 50 8 00	

SEND FOR
"HOW TO GROW RHODODENDRONS SUCCESSFULLY"

### Catalog of BOXFORD NURSERY



Lilium grayi (see page 14)





Shortia galacifolia (see page 15)

### Rhododendrons and **Mountain Laurel** "COLLECTED" **CLUMPS** BY THE CARLOAD

For the area covered and effect produced, a carload of Rhododendrons or Kalmias, offered helow, is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and hurlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and with the fine, hair-like rootlets inevitably exposed. You will he disappointed and find it expensive in the end. While fine results may he had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used. "Collected" Rhododendrons and Kalmias delivered at your station by the carload. To be shipped from point determined by me.

## Rhododendron catawbiense "Collected" Clumps

	Each plant collected from the open and hurlaped. Prices, d	eliver	red
f.	o. h. your station, if east of the Mississippi river.		
	Car containing 200 clumps, 1 to 3½ ft., for	<b>\$</b> 280	00
	Car containing 300 clumps, 1 to 3½ ft., for	380	00
	Car containing 400 clumps, 1 to $3\frac{1}{2}$ ft., for	480	00
	Car containing 600 clumps, 1 to 3½ ft., for	600	00
	Other combinations and sizes quoted on request.		

### Rhododendron maximum "Collected"

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River, collected from open ground, and each specimen burlaped separately.

	Car containing 500 clumps, 172 to 4 tc., for	u
	Car containing 400 clumps, 1½ to 4 ft., for	0
	Car containing 600 clumps, 1½ to 4 ft., for	0
	Other sizes or combinations will be made up to suit customers. It is	
f	ar cheaper to huy my kind at slightly increased price, and have plant	8
t	hat will grow.	

#### Rhododendron maximum and R. catawbiense

"Collected" Clumps by the Carload

Mixed cars, delivered free at any station east of the Mississippi River. Car containing 150 maximum and 150 entawhiense, collected as above, 1½ to 4 ft., clumps,—total of 300—for \$400. Car containing 250 maximum and 250 entawhiense, 1½ to 4 ft., clumps,—total of 500—for \$550.

### Kalmia latifolia (Mountain Laurel)

"Collected" Clumps by the Carload

"Collected" Clumps by the Carload

Each specimen burlnped, and highest-class clumps collected from the open, delivered free at your station, if east of the Mississippi River.

Car containing 400 clumps, 1 to 3½ ft. for \$375. Kalmia may be added to help fill any Rhododendron car at 90 cts. per clump, not less than 100 clumps in shipment.

The above "Cnrload" offers are made with a view of furnishing a variety of sizes that will permit of naturalistic grouping.

"Collected" Rhododendrons and Kalmia by the 100 and 1,000. The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed to the car is 16,000 lbs., with a freight rate to New York of \$96.

A ear mey easily he loaded much heavier, with proportionate increased freight charge, but not increasing the cost per plant.

A full car travels safer than one with a small load.

All "Clumps" offered below are collected with a good ball and are burlaped separately.

burlaped separately.

#### Prices of "Collected" Clumps of Rhododendrons and Kalmias

Rhododendron catawbiense.—	E	ach	10	0	10	ю.	1,00	00
1 to 2 ft., "collected" elumps	.\$1	50	\$10	00	\$80	00	\$700	00
2 to 3 ft., "collected" clumps	. 2	00	15	00	130	00	1000	00
3 to 4 ft., "collected" clumps	. 3	00	25	00	220	00		
4 to 5 ft., "eollected" clumps	. 5	00	40	00	350	00		
maximum. The Great American R	osel	hay.			- 157			
1 to 2 ft., "collected" clumps	. 1	25	8	00	70	00	650	00
2 to 3 ft., "collected" clumps	. 2	00	12	50	100	00	850	00
3 to 4 ft., "collected" clumps	. 2	75	20	00	160	00	1400	00
4 to 5 ft., "collected" clumps			30	00	-275	00	2500	00
5 to 6 ft./ "collected" clumps	. 6	00	50	00	: 3400	00		
6 to 7 ft., "collected" elumps	. 8	00	65	00	• 540	00		
Kalmia latifolia. Mountain Laurel								
1 to 2 ft., "collected" clumps			7	00	60	00	550	00
2 to 3 ft., "collected" clumps			12	50	100	00	850	00
3 to 4 ft., "collected" clumps			17	50	150	00	1300	00

For prices of nursery-grown Kalmia latifolia and Rhododen-drons, see pages 5, 6 and 7.